| L Number | Hits | Search Text | DB | Time stamp |
|---|---|---|---|---|
| 1 | 0 | 6658454.pn. and header | USPAT | 2004/05/03 05:41 |
| 2 | 1 | 6658454.pn. and header$1 | USPAT | 2004/05/03 05:42 |
| 3 | 6139 | header with (sender or source) | USPAT | 2004/05/03 05:43 |
| 4 | 0 | recevied with header with (sender or source) | USPAT | 2004/05/03 05:43 |
| 5 | 86 | adding with header with (sender or source) | USPAT | 2004/05/03 05:44 |
| 6 | 0 | email near10 adding with header with (sender or source) | USPAT | 2004/05/03 05:44 |
| 7 | 23 | receiv$3 with adding with header with (sender or source) | USPAT | 2004/05/03 06:01 |
| 8 | 4 | receiver with adding with header with (sender or source) | USPAT | 2004/05/03 05:46 |
| 9 | 1 | 6415329.pn. and remote | USPAT | 2004/05/03 06:04 |
| 10 | 22650 | remote with user | USPAT | 2004/05/03 06:04 |
| 12 | 31 | remote with user and defined with user near10 creat$3 with (message$1 or email$1) | USPAT | 2004/05/03 06:08 |
| 13 | 659 | remote with user and defined with user and creat$3 with (message$1 or email$1) | USPAT | 2004/05/03 06:08 |
| 14 | 23 | remote with user and defined with user and creat$3 with (message$1 or email$1).ab. | USPAT | 2004/05/03 06:14 |
| 15 | 1 | 6415329.pn. and message$1 | USPAT | 2004/05/03 06:34 |
| 16 | 110 | remote with user with send with message | USPAT | 2004/05/03 06:34 |
| 17 | 1 | remote with user with send with message and remote with user with access$3 near10 defined with user | USPAT | 2004/05/03 06:35 |
| 18 | 1 | remote with user with send with message and remote with user with access$3 near10 defined with user$1 | USPAT | 2004/05/03 06:43 |
| 19 | 21 | remote with user with send with message and user with receipt$4 | USPAT | 2004/05/03 06:43 |
| 20 | 2 | remote with user with send with message and user with receipt$4 and remote with user near10 author$6 | USPAT | 2004/05/03 06:44 |
| 21 | 21 | remote with user with send with message and user with receipt$4 and remote with user | USPAT | 2004/05/03 06:52 |
| 22 | 1 | remote with user with send with email$1 and user with receipt$4 and remote with user | USPAT | 2004/05/03 06:58 |
| 23 | 1 | 6717513.pn. and remote with user | USPAT | 2004/05/03 07:00 |
| 24 | 150268 | 6717513.pn. and password$1 or id$1 | USPAT | 2004/05/03 07:00 |
| 25 | 1 | 6717513.pn. and (password$1 or id$1) | USPAT | 2004/05/03 07:01 |
| 26 | 1 | 6717513.pn. and (access$5 or authori$6) | USPAT | 2004/05/03 07:53 |
| 27 | 1 | 6717513.pn. and log$4 | USPAT | 2004/05/03 07:06 |
| 28 | 675 | remote with user with authoriz$5 | USPAT | 2004/05/03 07:06 |
| 29 | 10 | remote with user with authoriz$5 and (message$1 or email$1) with (send$3 or sent) with user with receipt$4 | USPAT | 2004/05/03 07:07 |
| 30 | 8 | remote with user with authoriz$5 and (message$1 or email$1) with (send$3 or sent) with user with receipt$4 and server | USPAT | 2004/05/03 07:08 |
| 31 | 0 | 5867661.pn. and socket with gateway | USPAT | 2004/05/03 07:53 |

C:\APPS\EAST\Workspaces\09768671pcl.wsp

| | | | | |
|---|---|---|---|---|
| 32 | 1 | 5867661.pn. and socket with server | USPAT | 2004/05/03 07:54 |
| 33 | 0 | 5867661.pn. and socket with source with address with server | USPAT | 2004/05/03 07:54 |
| 34 | 6 | socket with source with address with (server or gateway) | USPAT | 2004/05/03 07:55 |
| - | 0 | socket$1 with bind$3 near10 source | USPAT | 2004/04/28 14:17 |
| - | 1 | socket$1 near10 bind$3 near10 source | USPAT | 2004/04/28 14:17 |
| - | 4880 | socket$1 near10 source | USPAT | 2004/04/28 14:17 |
| - | 170 | communicat$3 with socket$1 near10 source | USPAT | 2004/04/28 14:17 |
| - | 0 | communicat$3 with socket$1 near10 source near10 virtual.ab. | USPAT | 2004/04/28 14:18 |
| - | 0 | communicat$3 with socket$1 near10 source near10 virtual | USPAT | 2004/04/28 14:18 |
| - | 0 | communicat$3 with socket$1 near10 virtual with address$2 | USPAT | 2004/04/28 14:18 |
| - | 34 | communicat$3 with socket$1 near10 virtual | USPAT | 2004/04/28 14:19 |
| - | 103 | communicat$3 with socket$1 near10 address$2 | USPAT | 2004/04/28 14:42 |
| - | 0 | communicat$3 with socket$1 near10 address$2 with virtual | USPAT | 2004/04/28 14:19 |
| - | 17 | communicat$3 with socket$1 near10 virtual with network | USPAT | 2004/04/28 14:36 |
| - | 0 | communicat$3 with socket$1 near10 address$2 near10 securit$3 | USPAT | 2004/04/28 14:21 |
| - | 1 | communicat$3 with socket$1 near10 address$2.ab. | USPAT | 2004/04/28 14:21 |
| - | 21 | 709/20$1.ccls. and communicat$3 with socket$1 near10 address$2 | USPAT | 2004/04/28 14:23 |
| - | 0 | 709/20$1.ccls. and socket$1 near10 virtual with address$2 | USPAT | 2004/04/28 14:23 |
| - | 6 | 709/20$1.ccls. and socket$1 near15 source near15 address$2 | USPAT | 2004/04/28 14:23 |
| - | 5 | 709/20$1.ccls. and socket$1 near15 source near15 address$2 not (709/20$1.ccls. and communicat$3 with socket$1 near10 address$2) | USPAT | 2004/04/28 14:23 |
| - | 21 | 709/20$1.ccls. and communicat$3 with socket$1 near10 address$2 not (communicat$3 with socket$1 near10 virtual with address$2 ) | USPAT | 2004/04/28 14:24 |
| - | 9 | socket$1 near10 virtual with address$2 | USPAT | 2004/04/28 14:36 |
| - | 5 | 709/245.ccls. and communicat$3 with socket$1 near10 address$2 | USPAT | 2004/04/28 14:39 |
| - | 19 | 709/245.ccls. and socket$1 near10 address$2 | USPAT | 2004/04/28 14:39 |
| - | 3 | 709/245.ccls. and socket$1 near10 address$2 and identit$3 | USPAT | 2004/04/28 14:40 |
| - | 1 | 709/245.ccls. and socket$1 near10 identit$3 | USPAT | 2004/04/28 14:40 |
| - | 1 | 709/$3.ccls. and communicat$3 with socket$1 near10 address$2.ab. | USPAT | 2004/04/28 14:42 |
| - | 45 | 709/$3.ccls. and communicat$3 with socket$1 near10 address$2 | USPAT | 2004/04/28 15:47 |
| - | 1 | 709/$3.ccls. and communicat$3 with socket$1 near10 bind$3 with address$2 | USPAT | 2004/04/28 14:49 |
| - | 515 | 709/$3.ccls. and socket$1 near10 connection$1 | USPAT | 2004/04/28 15:48 |
| - | 20 | 709/$3.ccls. and socket$1 near10 connection$1.ab. | USPAT | 2004/04/28 15:49 |
| - | 20 | 709/$3.ccls. and socket$1 near10 connection$1.ab. and socket$1 | USPAT | 2004/04/28 15:53 |
| - | 21 | 709/$3.ccls. and socket$1 near10 connection$1 and spoofing | USPAT | 2004/04/28 15:53 |
| - | 4 | 709/$3.ccls. and socket$1 near10 connection$1 and spoofing.ab. | USPAT | 2004/04/28 15:56 |

C:\APPS\EAST\Workspaces\09768671pcl.wsp

| | | | | |
|---|---|---|---|---|
| – | 8 | 709/$3.ccls. and socket$1 near10 connection$1 and ip with spoofing | USPAT | 2004/04/28 16:06 |
| – | 0 | 709/$3.ccls. and email with server near15 socket$1 near10 connection$1 | USPAT | 2004/04/28 16:06 |
| – | 258 | 709/$3.ccls. and server near15 socket$1 near10 connection$1 | USPAT | 2004/04/28 16:11 |
| – | 7 | 709/$3.ccls. and server near15 socket$1 near10 connection$1.ab. | USPAT | 2004/04/28 16:12 |
| – | 0 | 709/$3.ccls. and server near15 socket$1 near10 connection$1.ab.and source with address$2 | USPAT | 2004/04/28 16:13 |
| – | 41 | 709/$3.ccls. and server near15 socket$1 near10 connection$1 and source with address$2 | USPAT | 2004/04/28 16:13 |
| – | 6 | 709/$3.ccls. and server near15 socket$1 near10 connection$1 and source with address$2 near10 socket$1 | USPAT | 2004/04/28 16:15 |
| – | 1213 | 709/$3.ccls. and bind$3 source with address$2 near10 socket$1 | USPAT | 2004/04/28 16:15 |
| – | 1 | 709/$3.ccls. and bind$3 near15 source with address$2 near10 socket$1 | USPAT | 2004/04/28 16:16 |
| – | 42 | 709/$3.ccls. and bind$3 near15 address$2 near10 socket$1 | USPAT | 2004/04/28 16:17 |
| – | 0 | 709/$3.ccls. and bind$3 near15 address$2 near10 socket$1.ab. | USPAT | 2004/04/28 16:16 |
| – | 7 | 709/$3.ccls. and bind$3 near15 address$2 near10 socket$1 and spoof$3 | USPAT | 2004/04/28 16:17 |
| – | 35 | 709/$3.ccls. and bind$3 near15 address$2 near10 socket$1 not (709/$3.ccls. and bind$3 near15 address$2 near10 socket$1 and spoof$3) | USPAT | 2004/04/28 16:17 |
| – | 1 | 6567848.pn. and  socket$1 | USPAT | 2004/04/29 13:54 |
| – | 811 | socket$1 with host | USPAT | 2004/04/29 13:54 |
| – | 2 | socket$1 with host.ti. | USPAT | 2004/04/29 13:54 |
| – | 2 | socket$1 with host.ti. and socket$1 | USPAT | 2004/04/29 13:57 |
| – | 0 | socket$1 with host.ti. and socket$1 and remote | USPAT | 2004/04/29 13:55 |
| – | 2 | socket$1 with host.ti. and socket$1 and host | USPAT | 2004/04/29 13:59 |
| – | 1 | socket$1 with host near10 remote.ab. | USPAT | 2004/04/29 14:01 |
| – | 36 | socket$1 with host near2 server | USPAT | 2004/04/29 14:01 |
| – | 1 | socket$1 with host near2 server.ab. | USPAT | 2004/04/29 14:23 |
| – | 2 | 709/245.ccls. and socket$1 with host near2 server | USPAT | 2004/04/29 14:23 |
| – | 36 | socket$1 with host near2 server | USPAT | 2004/04/29 14:24 |
| – | 27 | socket$1 with host near2 server and remote | USPAT | 2004/04/29 14:24 |
| – | 9 | socket$1 with host near2 server and remote near3 client$1 | USPAT | 2004/04/29 14:28 |
| – | 9 | socket$1 with host near2 server and remote near3 client$1 and socket$! | USPAT | 2004/04/29 15:01 |
| – | 9 | socket$1 with host near2 server and remote near3 client$1 and socket$1 and socket with address$2 | USPAT | 2004/04/29 15:02 |
| – | 9 | socket$1 with host near2 server and remote near3 client$1 and socket$1 and socket with client with address$2 | USPAT | 2004/04/29 15:02 |
| – | 7 | socket$1 with host near2 server and remote near3 client$1 and socket$1 and socket with client near3 address$2 | USPAT | 2004/04/29 15:19 |
| – | 0 | socket$1 with multiple with host near2 server and remote near3 client$1 and socket$1 and socket with client near3 address$2 | USPAT | 2004/04/29 15:12 |

C:\APPS\EAST\Workspaces\09768671pcl.wsp

| | | | | |
|---|---|---|---|---|
| – | 0 | socket$1 with client near3 address$2.ti. | USPAT | 2004/04/29 15:14 |
| – | 0 | socket$1 with address$2.ti. | USPAT | 2004/04/29 15:14 |
| – | 4 | socket$1 with client near3 address$2.ab. | USPAT | 2004/04/29 15:15 |
| – | 4 | socket$1 with client near3 address$2.ab.and remote | USPAT | 2004/04/29 15:15 |
| – | 1 | 5825890.pn. and socket$1 | USPAT | 2004/04/29 15:24 |
| – | 1 | 5825890.pn. and socket$1 and address$2 | USPAT | 2004/04/29 15:27 |
| – | 30 | host with behalf with client$1 | USPAT | 2004/04/29 15:27 |
| – | 8 | host with behalf with client$1 and socket$1 | USPAT | 2004/04/29 15:28 |
| – | 1 | host with behalf with client$1 and socket$1 near15 address$2 | USPAT | 2004/04/29 15:30 |
| – | 40 | behalf with client$1 and socket$1 near15 address$2 | USPAT | 2004/04/29 15:31 |
| – | 4 | behalf with client$1 and socket$1 near15 address$2 near15 remote | USPAT | 2004/04/29 15:33 |
| – | 10 | creat$3 near6 socket$1 near20 address$2 with client | USPAT | 2004/04/29 15:34 |
| – | 0 | creat$3 near6 socket$1 near20 address$2 with client.ab. | USPAT | 2004/04/29 15:34 |
| – | 0 | creat$3 near6 socket$1 near20 address$2 with client.ti. | USPAT | 2004/04/29 15:34 |
| – | 5 | creat$3 near6 socket$1 near20 address$2 with client and host | USPAT | 2004/04/29 15:34 |
| – | 1 | creat$3 near6 socket$1 near20 address$2 with client and (host or server) with behalf near10 client$1 | USPAT | 2004/04/29 15:35 |
| – | 10 | creat$3 near6 socket$1 near20 address$2 with client and (host or server) | USPAT | 2004/04/29 15:37 |
| – | 4 | creat$3 near6 socket$1 near20 address$2 with client and (host or server)near10 remote near15 socket$1 | USPAT | 2004/04/29 15:42 |
| – | 4 | creat$3 near6 socket$1 near20 address$2 with client and (host or server)near10 remote near15 socket$1 and socket$1 with address$2 | USPAT | 2004/04/29 15:48 |
| – | 3 | creat$3 near6 socket$1 near15 gateway | USPAT | 2004/04/29 15:55 |
| – | 2 | creat$3 near6 socket$1 near15 gateway and socket near15 address$2 | USPAT | 2004/04/29 16:25 |
| – | 2 | creat$3 near6 socket$1 near15 gateway and socket near15 address$2 and socket$1 | USPAT | 2004/04/29 19:47 |
| – | 1 | 6415329.pn. and multiple | USPAT | 2004/04/29 21:38 |
| – | 1 | 6415329.pn. and domain$1 | USPAT | 2004/04/29 21:55 |
| – | 1 | 6415329.pn. and (OS or (operating with system$1)) | USPAT | 2004/04/29 22:14 |
| – | 0 | 6415329.pn. and accept | USPAT | 2004/04/29 22:14 |
| – | 1 | 6415329.pn. and accept$5 | USPAT | 2004/04/29 22:35 |
| – | 1 | 6415329.pn. and (queue$1 or buffer$1) | USPAT | 2004/04/29 22:39 |
| – | 1 | 6415329.pn. and (queue$1 or buffer$1) | USPAT | 2004/04/29 22:56 |
| – | 1 | 6119170.pn. and (queue$1 or buffer$1) | USPAT | 2004/04/29 22:56 |
| – | 0 | creat$3 with socket$1 near10 address$2 near6 (host or server or gateway).ab. | USPAT | 2004/04/30 11:13 |
| – | 15 | creat$3 with socket$1 near10 address$2 near6 (host or server or gateway) | USPAT | 2004/04/30 11:19 |
| – | 15 | creat$3 with socket$1 near10 address$2 near6 (host or server or gateway)and socket | USPAT | 2004/04/30 11:33 |

| | | | | |
|---|---|---|---|---|
| - | 3 | creat$3 with socket$1 near10 network.ab. | USPAT | 2004/04/30 11:35 |
| - | 0 | creat$3 with socket$1 near10 gateway.ab. | USPAT | 2004/04/30 11:35 |
| - | 3 | creat$3 with socket$1 near10 multi$6 with host$1 | USPAT | 2004/04/30 11:36 |
| - | 6 | creat$3 with socket$1 near10 remote with host$1 | USPAT | 2004/04/30 11:37 |
| - | 1 | creat$3 with socket$1 near10 remote with host$1 near10 (server or gateway) | USPAT | 2004/04/30 11:37 |
| - | 1 | creat$3 with socket$1 near10 behalf near10 (host$1 or client$1) | USPAT | 2004/04/30 11:42 |
| - | 1 | creat$3 with socket$1 near10 behalf near10 (host$1 or client$1) and socket | USPAT | 2004/04/30 11:43 |
| - | 0 | creat$3 with socket$1 near10 behalf near10 (*server or gateway) | USPAT | 2004/04/30 11:43 |
| - | 1 | creat$3 with socket$1 near10 behalf near10 (server or gateway) | USPAT | 2004/04/30 11:44 |
| - | 1 | 6415329.pn. | USPAT | 2004/04/30 11:44 |
| - | 21 | ("4491947" \| "4677588" \| "5159592" \| "5224098" \| "5423002" \| "5442633" \| "5537412" \| "5572530" \| "5623601" \| "5640386" \| "5673322" \| "5852721" \| "5883661" \| "6092191" \| "6101189" \| "6115384" \| "6157950" \| "6198728" \| "6215776" \| "6249523" \| "6259701").PN. | USPAT | 2004/04/30 11:44 |
| - | 7 | 6415329.URPN. | USPAT | 2004/04/30 11:44 |
| - | 0 | 6415329.URPN. and socket | USPAT | 2004/04/30 11:44 |
| - | 2 | ("4491947" \| "4677588" \| "5159592" \| "5224098" \| "5423002" \| "5442633" \| "5537412" \| "5572530" \| "5623601" \| "5640386" \| "5673322" \| "5852721" \| "5883661" \| "6092191" \| "6101189" \| "6115384" \| "6157950" \| "6198728" \| "6215776" \| "6249523" \| "6259701").PN. and socket | USPAT | 2004/04/30 11:45 |
| - | 1 | ("4491947" \| "4677588" \| "5159592" \| "5224098" \| "5423002" \| "5442633" \| "5537412" \| "5572530" \| "5623601" \| "5640386" \| "5673322" \| "5852721" \| "5883661" \| "6092191" \| "6101189" \| "6115384" \| "6157950" \| "6198728" \| "6215776" \| "6249523" \| "6259701").PN. and socket and address$2 | USPAT | 2004/04/30 11:46 |
| - | 53 | socket near10 (host or client) near10 remote with (host or client) | USPAT | 2004/04/30 11:47 |
| - | 1 | socket near10 (host or client) near10 remote with (host or client).ab. | USPAT | 2004/04/30 11:48 |
| - | 83 | (server or gateway)near10 manag$7 near10 socket | USPAT | 2004/04/30 11:48 |
| - | 3 | (server or gateway)near10 manag$7 near10 socket near10 remote | USPAT | 2004/04/30 11:50 |
| - | 3 | (server or gateway)near10 manag$7 near10 socket near10 remote and socket | USPAT | 2004/04/30 11:50 |
| - | 41 | creat$3 with socket$1 near10 (connect$3 or between) with (network$1 or gateway$1) | USPAT | 2004/04/30 12:11 |
| - | 16 | creat$3 with socket$1 near10 (connect$3 or between) with (network$1 or gateway$1) and socket near15 address$2 | USPAT | 2004/04/30 12:14 |
| - | 1 | creat$3 with socket$1 near10 (connect$3 or between) with (network$1 or gateway$1) and socket near15 address$2 with gateway$1 | USPAT | 2004/04/30 12:15 |
| - | 4 | creat$3 with socket$1 near10 (connect$3 or between) with (network$1 or gateway$1) and socket near15 address$2 near10 (server or gateway$1) | USPAT | 2004/04/30 12:15 |
| - | 321047 | creat$3 with socket$1 near10 first with remote and second remote | USPAT | 2004/04/30 12:42 |

C:\APPS\EAST\Workspaces\09768671pcl.wsp

| | | | | |
|---|---|---|---|---|
| – | 1 | creat$3 with socket$1 near10 first with remote and second with remote and address$2 | USPAT | 2004/04/30 12:42 |
| – | 2 | creat$3 with socket$1 near10 first with remote and second with remote | USPAT | 2004/04/30 12:44 |
| – | 5 | creat$3 with socket$1 near10 first with remote | USPAT | 2004/04/30 12:57 |
| – | 3 | creat$3 with socket$1 near10 first with remote with (client or host or computer) | USPAT | 2004/04/30 12:45 |
| – | 3 | creat$3 with socket$1 near10 multi$6 with remote | USPAT | 2004/04/30 12:46 |
| – | 0 | (server or gateway) near6 creat$3 with socket$1 near10 first with remote | USPAT | 2004/04/30 12:58 |
| – | 9 | (server or gateway) near6 creat$3 with socket$1 with remote | USPAT | 2004/04/30 12:58 |
| – | 0 | (server or gateway) near6 creat$3 with socket$1 with remote.ab. | USPAT | 2004/04/30 12:58 |
| – | 9 | (server or gateway) near6 creat$3 with socket$1 with remote and address | USPAT | 2004/04/30 13:42 |
| – | 9 | (server or gateway) near6 creat$3 with socket$1 with remote and address and socket | USPAT | 2004/04/30 14:11 |
| – | 1 | 6425013.URPN. | USPAT | 2004/04/30 13:49 |
| – | 48 | socket$1 with remote and source with address and socket | USPAT | 2004/04/30 14:11 |
| – | 11 | (gateway or server) with socket$1 with remote and source with address and socket | USPAT | 2004/04/30 15:05 |
| – | 1 | (gateway or server) with source with address with socket and socket$1 with remote | USPAT | 2004/04/30 14:46 |
| – | 13 | socket$1 with remote and (gateway or server) with source with address and socket | USPAT | 2004/04/30 15:05 |
| – | 13 | socket$1 with remote and (gateway or server) with source with address and socket not (creat$3 with socket$1 near10 first with remote and second with remote) | USPAT | 2004/04/30 15:39 |
| – | 7 | socket near10 source with address$2 with (gateway or server) | USPAT | 2004/04/30 15:50 |
| – | 63 | socket near10 (gateway or server) with remote | USPAT | 2004/04/30 15:50 |
| – | 1 | socket near10 (gateway or server) with remote and source with address with (gateway or server) | USPAT | 2004/04/30 16:29 |
| – | 1 | 6324582.pn. and domain | USPAT | 2004/04/30 16:34 |
| – | 1 | 6324582.pn. and domain and (queue or buffer) | USPAT | 2004/04/30 16:36 |
| – | 0 | tempor$6 with queu$5 with email$1 | USPAT | 2004/04/30 16:37 |
| – | 121784 | tempor$6 with queu$5 with email$1 or message$! | USPAT | 2004/04/30 16:37 |
| – | 243 | tempor$6 with queu$5 with (email$1 or message$1) | USPAT | 2004/04/30 16:37 |
| – | 243 | tempor$6 with queu$5 with message$1 | USPAT | 2004/04/30 16:37 |
| – | 0 | tempor$6 with queu$5 with outgoing with message$1.ab. | USPAT | 2004/04/30 16:38 |
| – | 10 | tempor$6 with queu$5 with outgoing with message$1 | USPAT | 2004/04/30 16:39 |
| – | 206 | unique with domain with name | USPAT | 2004/04/30 16:40 |
| – | 4 | unique with domain with name.ab. | USPAT | 2004/04/30 16:48 |
| – | 1 | 6658454.pn. and domain | USPAT | 2004/04/30 16:44 |
| – | 3 | virtual near10 remote near10 host with domain with name | USPAT | 2004/04/30 16:56 |
| – | 1 | 6119170.pn. and (os or operating) | USPAT | 2004/04/30 16:57 |

C:\APPS\EAST\Workspaces\09768671pcl.wsp

| | | | | |
|---|---|---|---|---|
| – | 1 | 6415329.pn. and (os or operating) | USPAT | 2004/04/30 17:02 |
| – | 1 | 6415329.pn. and user$1 | USPAT | 2004/04/30 17:05 |
| – | 3 | remote with user$1 with (creat$3 or send$3) near10 message near10 gateway | USPAT | 2004/04/30 17:08 |
| – | 0 | remote with user$1 with acess$3 with computer | USPAT | 2004/04/30 17:09 |
| – | 1106 | remote with user$1 with access$3 with computer | USPAT | 2004/04/30 17:09 |
| – | 4 | remote with user$1 with access$3 with computer near15 creat$3 with (message or email) | USPAT | 2004/04/30 17:11 |
| – | 1 | 6415329.pn. and remote with access$3 | USPAT | 2004/04/30 17:12 |
| – | 3645 | user with remote with access$3 | USPAT | 2004/04/30 17:15 |
| – | 7 | add$3 near10 received with email | USPAT | 2004/04/30 17:17 |
| – | 0 | add$3 near10 received with email$1 near10 (source or sender) | USPAT | 2004/04/30 17:17 |
| – | 8 | add$3 near10 received with email$1 | USPAT | 2004/04/30 17:22 |
| – | 357 | add$3 near10 (email$1 or message$1)near10 (source or sender) | USPAT | 2004/04/30 17:23 |
| – | 1 | add$3 near10 (arrived or received) near10(email$1 or message$1)near10 (source or sender).ab. | USPAT | 2004/04/30 17:24 |
| – | 51 | add$3 near10 (arrived or received) near10(email$1 or message$1)near10 (source or sender) | USPAT | 2004/04/30 18:26 |
| – | 4 | ("5093918" \| "5377354" \| "5619648" \| "5826022").PN. | USPAT | 2004/04/30 17:30 |
| – | 36153 | without with bind$3 | USPAT | 2004/04/30 18:27 |
| – | 1 | without with bind$3 with address$2 with socket | USPAT | 2004/04/30 18:28 |
| – | 67 | without with bind$3 with  socket | USPAT | 2004/04/30 18:28 |
| – | 67 | without with bind$3 with socket | USPAT | 2004/04/30 18:28 |
| – | 4 | without with bind$3 with socket.ab. | USPAT | 2004/04/30 18:29 |
| – | 52 | without with bind$3 near10 address$2 | USPAT | 2004/04/30 18:29 |
| – | 1 | without with bind$3 near10 address$2 near10 socket | USPAT | 2004/04/30 18:30 |
| – | 38 | without with bind$3 near10 socket | USPAT | 2004/04/30 18:31 |
| – | 0 | "not" with bind$3 near10 socket | USPAT | 2004/04/30 18:31 |
| – | 0 | "not" with bind$3 near10 address$2 | USPAT | 2004/04/30 18:31 |
| – | 1442 | bind$3 near10 address$2 | USPAT | 2004/04/30 18:31 |
| – | 53 | bind$3 near10 address$2 near10 socket | USPAT | 2004/04/30 18:33 |
| – | 1 | without near10 bind$3 near10 address$2 near10 socket | USPAT | 2004/04/30 18:34 |
| – | 53 | bind$3 near10 address$2 near10 socket | USPAT | 2004/04/30 18:35 |
| – | 32867 | without near15 bind$3 | USPAT | 2004/04/30 18:36 |
| – | 1 | without near15 bind$3 near10 address$2 near10 socket | USPAT | 2004/04/30 18:36 |
| – | 50 | without near15 bind$3 near10 address$2 | USPAT | 2004/04/30 18:47 |
| – | 1 | sendmail.ab. | USPAT | 2004/04/30 18:47 |
| – | 1 | sendmail$2.ab. | USPAT | 2004/04/30 18:47 |

C:\APPS\EAST\Workspaces\09768671pcl.wsp

| - | 0 | sendmail$1.ti. | USPAT | 2004/04/30 18:48 |
|---|---|---|---|---|
| - | 15 | sendmail$1 and add$3 near15 (email$1 or message$1) near15 (receive$2 or sent or source or sender) | USPAT | 2004/04/30 18:49 |
| - | 140 | sendmail$1 | USPAT | 2004/04/30 18:50 |